

SEA CASTLE CONDOMINIUMS

Effective June 08, 2021 the following exterior window specifications have been approved by the Castle Council Board of Directors.

- PGT 5500 series WinGuard Windows
- Miami Dade Rated / Certified at 185mph
- Front Flange Frames
- Tapcon screws with marine coating to prevent rusting
- Small and large Missile Test Certified
- Glass will be High-performance Low- E, color tint Grey
- Vinyl Frames White in/ White out
- Min / Max pressure test +50/-50
- Window opening control devices to prevent children from opening the windows
- Windows will be either 5500 series picture windows, Double hung windows (up and down) or horizontal rollers (slider windows).

Per the Castle Council by laws, board approval is required prior to changing exterior windows, doors, etc.

to yr window

FLEAMARKET

WINDOW TINTING

Residential • Auto • Commercial

727-505-1622

Business Since 1990

Tony

ATC SERIES

ATC 15 CH SR HPR (Charcoal)

Performance Data

| | |
|---|-----|
| % Visible Light Transmittance | 18 |
| % Total Solar Energy Rejected | 40 |
| % IR Energy Rejection (IRER) | 22 |
| % Selective IR Rejection (SIRR)** | 29 |
| % Ultraviolet Protection (wavelengths 300-380nm) | >99 |
| % Glare Reduction*** | 79 |
| % Visible Light Reflectance (exterior) | 5 |